

**COMMON NAME:** atrazine (AAtrex)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If swallowed, immediately call a poison control center or doctor. If inhaled, move person to fresh air and contact a poison control center or doctor for further treatment advice.

**PRECAUTIONARY STATEMENT:** Harmful if swallowed, inhaled, or absorbed through skin. Do not breathe spray mist. Avoid contact with eyes, skin or clothing.

**ENVIRONMENTAL HAZARDS:** Atrazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found in ground water. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas.

**POST APPLICATION INFORMATION:** Please refer to product label for post application information and/or use restrictions, including crop rotation restrictions.

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls, Waterproof gloves, Shoes plus socks.

**COMMON NAME:** nicosulfuron (Accent, Stout)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**PRECAUTIONARY STATEMENT:** Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing.

**POST APPLICATION INFORMATION:** Do not graze or feed forage or grain from treated areas to livestock within 30 days after application of Accent.

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls. Waterproof gloves. Shoes plus socks.

**COMMON NAME:** dimethomorph (Acrobat)

**STATEMENT OF PRACTICAL TREATMENT:** If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If swallowed, immediately call a poison control center or doctor.

**PRECAUTIONARY STATEMENT:** Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing.

**POST APPLICATION INFORMATION:** Please refer to product label for any additional post application information/use restrictions.

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, chemical resistant gloves, shoes plus socks.

**COMMON NAME:** imidacloprid; metalaxyl (Concur)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. If swallowed, immediately call a poison control center or doctor. If inhaled, move person to fresh air and contact a poison control center or doctor for further treatment advice.

**PRECAUTIONARY STATEMENT:** Causes moderate eye irritation. Harmful if swallowed. Avoid contact with eyes or clothing.

**ENVIRONMENTAL HAZARDS:** This product is highly toxic to birds and aquatic invertebrates and toxic to fish. Exposed treated seeds may be hazardous to birds. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil.

**POST APPLICATION INFORMATION:** Please refer to product label for any additional post application information/use restrictions.

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. Exception: If the seed is treated with the product and treated seed is soil injected or soil incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls; chemical resistant gloves; shoes plus socks; protective eyewear.

**COMMON NAME:** carfentrazone-ethyl (Aim EW)

**STATEMENT OF PRACTICAL TREATMENT:** If inhaled, move person to fresh air. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. If swallowed, call a poison control center or doctor immediately for treatment advice.

**PRECAUTIONARY STATEMENT:** Harmful if swallowed, absorbed through the skin or inhaled. Causes moderate eye irritation. Avoid breathing vapors. Avoid contact with eyes, skin or clothing.

**ENVIRONMENTAL HAZARDS:** Carfentrazone-ethyl is very toxic to algae and moderately toxic to fish.

**POST APPLICATION INFORMATION:** **AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and

greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, waterproof gloves and shoes plus socks, and protective eyewear.

Extremes in environmental conditions such as temperature, moisture, soil conditions and cultural practices may affect the activity of Aim EC. Under warm moist conditions, herbicide symptoms may be accelerated. While under very dry conditions, the expression of herbicide symptoms is delayed, and weeds hardened off by drought are less susceptible to Aim EW. **Rotational Restrictions:** Following applications of Aim EW, any registered crop may be planted at any time. Root and leafy vegetables may be planted 30 days after an application of Aim EW. All other crops may be planted 12 months after an application of Aim EW. Follow the rotation statements on tank mix products if they are more restrictive.

**COMMON NAME:** metsulfuron methyl (Ally, Cimarron)

**STATEMENT OF PRACTICAL TREATMENT:** In case of contact with eyes, immediately flush with plenty of water. If on skin, wash with plenty of soap and water. Get medical attention if irritation persists.

**PRECAUTIONARY STATEMENT:** Harmful if absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist.

**POST APPLICATION INFORMATION:** AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls. Waterproof gloves. Shoes plus socks.

**COMMON NAME:** quizalofop P-ethyl (Assure II, Matador)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, immediately flush with a steady gentle stream of water for at least 15 minutes. Call a physician if irritation persists. If on skin, wash with plenty of soap and water. Get medical attention if irritation persists. If swallowed, call a physician.

**PRECAUTIONARY STATEMENT:** Causes severe eye irritation. May irritate skin, nose, and throat. May be harmful if absorbed through the skin, swallowed, or inhaled. Avoid contact with skin, eyes, or clothing. Avoid breathing spray mist.

**POST APPLICATION INFORMATION:** Do not graze treated fields or harrow for forage or hay.

AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls, Chemical-resistant gloves, such as barrier laminate or Viton, Shoes plus socks, Protective eyewear.

**COMMON NAME:** pinoxaden (Axial)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If swallowed, immediately call a poison control center or doctor. If inhaled, move person to fresh air and contact a poison control center or doctor for further treatment advice.

**PRECAUTIONARY STATEMENT:** Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Harmful if swallowed or absorbed through the skin.

**POST APPLICATION INFORMATION:** Do not plant leafy and root crops for 30 days after application. Do not plant cereal grains (excluding wheat, durum and barley) and all other crops for 120 days after application. Do not harvest grain for 60 days following application. Do not use on barley that will be grazed by livestock or made into silage for feed. Do not graze livestock or harvest forage for hay from treated areas for a minimum of 50 days following application.

**Please refer to product label for any additional post application information/use restrictions.**

AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: long-sleeved shirt and long pants, shoes plus socks, chemical resistant gloves (Category A).

**COMMON NAME:** bentazon (Basagran)

**STATEMENT OF PRACTICAL TREATMENT:** In case of contact immediately flush eyes with water for at least 15 minutes or skin with plenty of water. Get medical attention if irritation persists. Call a physician

**PRECAUTIONARY STATEMENT:** Avoid contact with eyes or skin. May cause allergic skin response.

**ENVIRONMENTAL HAZARDS:** Bentazon is known to leach through soil into groundwater under certain conditions as a result of agricultural use. Use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

**POST APPLICATION INFORMATION:** Please refer to the product label for additional use/crop rotation restrictions.

AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls over short-sleeved shirt and short pants; Chemical-resistant gloves, such as barrier laminate or viton □ mils; Chemical-resistant footwear plus socks; Protective eyewear; Chemical-resistant headgear for overhead exposure.

**COMMON NAME:** rimsulfuron; thifensulfuron-methyl (Basis 75DF)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, and then continue rinsing. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If swallowed, immediately call a poison control center or doctor.

**PRECAUTIONARY STATEMENT:** Causes eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing dust or spray mist.

**POST APPLICATION INFORMATION:** Do not graze or feed forage, grain or stover of treated areas to livestock within 30 days of application. **Please refer to product label for any additional post application information/use restrictions.**

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170.

This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls and chemical resistant gloves (Category A).

**COMMON NAME:** triadimefon (Bayleton)

**STATEMENT OF PRACTICAL TREATMENT:** If swallowed, professional medical assistance should be secured immediately. If on skin, wash skin immediately with soap and water. If eyes are contaminated, wash with plenty of water for at least 15 minutes. Get medical attention. If inhaled, remove to fresh air.

**PRECAUTIONARY STATEMENT:** Harmful if swallowed, inhaled, or absorbed through the skin. Causes eye irritation. Do not breathe dust or allow to get in eyes, on skin or on clothing.

**POST APPLICATION INFORMATION:** **Please refer to the product label for additional use/crop rotational restrictions.** APPLES: Do not graze livestock in treated orchard. Small grains, corn, sorghum, soybeans, beans, peas, and cucurbits: forage or vines from these crops may not be used for food or feed. Root crops may be planted 120 days after the last application but tops must not be used for food or feed. Do not enter treated areas without protective clothing until sprays have dried. Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Oral warnings should include those statements found under the label heading "Precautionary Statement" and "Re-entry Statements" included on this label. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written

warnings cannot be understood by workers. Written warnings must include the following information: WARNING, area treated with Bayleton on (date of application). Do not enter without appropriate protective clothing until sprays have dried. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes. If swallowed, vomiting should be induced. (See Precautionary Statements on label).

**COMMON NAME:** primsulfuron (Beacon)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes: Flush eyes with plenty of water. Get medical attention. If inhaled: Remove victim to fresh air. If on skin: Wash with plenty of soap and water. Get medical attention.

**PRECAUTIONARY STATEMENT:** Causes moderate eye irritation. Avoid contact with skin, eyes and clothing. Avoid breathing spray mist.

**POST APPLICATION INFORMATION:** To avoid possible illegal residues, (1) do not graze or feed forage from Beacon treated corn to livestock within 30 days after application, (2) Do not harvest silage within 45 days after application, (3) do not harvest grain within 60 days after application.

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170.

This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls; waterproof gloves; shoes plus socks.

**COMMON NAME:** s-metolachlor and metribuzin (Boundary)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, immediately flush eyes with plenty of water for at least 15 minutes. For further treatment get medical attention. If swallowed, call a physician or Poison Control Center. If on skin, wash thoroughly with plenty of soap and water for 15-20 minutes.

**PRECAUTIONARY STATEMENT:** Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing.

**ENVIRONMENTAL HAZARDS:** GROUND WATER ADVISORY: s-metolachlor has the potential to leach through soil into ground water under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination. Metribuzin is a chemical which can travel through and can contaminate ground water which may be used as drinking water.

Metribuzin has been found in ground water as a result of agricultural use. Users are advised not to apply metribuzin where the water table is close to the surface and where the soils are very permeable. SURFACE WATER ADVISORY: s-Metolachlor has the potential to contaminate surface water through ground spray drift. Under some conditions, s-Metolachlor may also have a high potential for runoff into surface water for several months post application.

**POST APPLICATION INFORMATION:** **AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. Exception: If the product is soil-injected or soil-incorporated, The Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, chemical resistant gloves, shoes plus socks. SOYBEANS: Treated soybean plants may be grazed or fed to livestock 40 days after the last application of Boundary.

**COMMON NAME:** chorothalonil (Bravo)

**STATEMENT OF PRACTICAL TREATMENT:** IF ON SKIN: wash exposed areas of skin with soap and warm water. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 15 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**PRECAUTIONARY STATEMENT:** Causes eye irritation. May cause skin irritation. May be a potential skin sensitizer. Do not get in eyes. Avoid prolonged

contact with skin. Avoid breathing spray mist. Do not take internally.

**ENVIRONMENTAL HAZARDS:** This product is toxic to aquatic invertebrates and wildlife. This chemical is known to leach through soil into groundwater under certain conditions as a result of label use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

**POST APPLICATION INFORMATION:** AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, chemical resistant gloves made of any waterproof material, shoes plus socks, and protective eyewear. SPECIAL EYE IRRITATION PROVISIONS: This product is a severe eye irritant. Although the restricted entry interval expires after 12 hours, for the next 6.5 days entry is permitted only when the following safety measures are provided: (1) At least one container designed specifically for flushing eyes must be available in operating condition at the WPS required decontamination site intended for workers entering the treated area. (2) Worker must be informed, in a manner they can understand that residues in the treated area may be highly irritating to their eyes; that they should take precautions, such as refraining from rubbing their eyes, to keep the residues out of their eyes; that if they do get residues in their eyes, they should immediately flush their eyes using the eyeflush container that is located at the decontamination site or using other readily available clean water; and how to operate the eyeflush container.

**COMMON NAME:** 2,4 DB (Butoxone 200, Butyrac)

**STATEMENT OF PRACTICAL TREATMENT:** IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. IF ON SKIN: Wash contaminated areas thoroughly with soap and water. Get medical attention if irritation persists. IF IN EYES: Flush with plenty of water. Call a physician.

**PRECAUTIONARY STATEMENT:** Causes irreversible eye damage. Due to corrosive nature, may be harmful or fatal if swallowed. May be harmful if inhaled or absorbed through skin. Do not get in eyes, on skin or clothing. Avoid breathing spray mist.

**POST APPLICATION INFORMATION:** ALFALFA: Do not graze established alfalfa, nor feed straw or hay from established alfalfa to livestock within 30 days after application. Do not graze or feed seedling alfalfa with 60 days after application. Irrigation, in particular overhead sprinkler irrigation, should be delayed as long as possible (10 days or more) following application of Butoxone 200 to avoid washing the chemical into the root zone. SOYBEANS: Do not harvest soybeans within 60 days after application.

AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, waterproof gloves, shoes plus socks, protective eyewear, and chemical resistant headgear for overhead exposure.

**COMMON NAME:** mesotrione (Callisto)

**PRECAUTIONARY STATEMENT:** Harmful if absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contact with skin, eyes, or clothing.

**STATEMENT OF PRACTICAL TREATMENT:** IF INHALED: Move person to fresh air. Call a poison control center or doctor for further treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**ENVIRONMENTAL HAZARDS:** This product may contaminate water through drift of spray in wind. This product has a high potential for runoff for several weeks after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product. A level, well maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential for contamination of water from runoff. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours. Sound erosion control practices will reduce this product's contribution to surface water contamination.

**POST APPLICATION INFORMATION:** Do not cultivate corn within 7 days before or after a Callisto application. AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. Exception: If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls; Shoes plus socks; Chemical-resistant gloves - Category A (barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, PVC, or viton).

**COMMON NAME:** sulfentrazone; chlorimuron ethyl (Canopy XL)

**STATEMENT OF PRACTICAL TREATMENT:** If swallowed, call a physician or Poison Control Center. If inhaled, remove victim to fresh air. If on skin, wash with plenty of soap and water. Get medical attention if irritation occurs and persists. If in eyes, wash eyes with plenty of water. Call a physician if irritation persists.

**PRECAUTIONARY STATEMENT:** Causes moderate eye irritation. Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to marine/estuarine invertebrates. Drift and runoff may be hazardous to terrestrial and aquatic plants in neighboring area. Sulfentrazone is known to leach through soil into groundwater under certain conditions as a result of label use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow. Sulfentrazone can contaminate surface water through spray drift. Under some conditions, sulfentrazone may also have a high potential for runoff into surface water (primarily via dissolution in runoff water), for several to many months post-application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas overlying extremely shallow ground water, areas with in-field canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas over-lying tile drainage systems that drain to surface waters.

**POST APPLICATION INFORMATION:** Do not feed treated soybean forage or soybean hay to livestock.

AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170.

This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls, Waterproof gloves, Shoes plus socks.

**COMMON NAME:** metribuzin ; chlorimuron ethyl (Canopy)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If swallowed, immediately call a poison control center or doctor for treatment advice. If inhaled, move person to fresh air.

**PRECAUTIONARY STATEMENT:** Harmful if swallowed, inhaled or absorbed by the skin. Causes moderate eye irritation. Avoid breathing dust or spray mist. Avoid contact with skin, eyes and clothing.

**POST APPLICATION INFORMATION:** Please refer to product label for any additional post application information/use restrictions.

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is coveralls, chemical resistant gloves, Shoes plus socks.

**COMMON NAME:** chlorimuron-ethyl; tribenuron-methyl (Canopy EX)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**PRECAUTIONARY STATEMENT:** Harmful if absorbed through the skin. Causes moderate eye injury. Avoid contact with skin, eyes and clothing.

**POST APPLICATION INFORMATION:** Please refer to product label for any additional post application information/use restrictions.

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is coveralls, chemical resistant gloves, Shoes plus socks.

**COMMON NAME:** bifenthrin (Capture)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If swallowed, immediately call a poison control center or doctor for treatment advice. If inhaled, move person to fresh air.

**PRECAUTIONARY STATEMENT:** May be fatal if swallowed. Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes or clothing.

**ENVIRONMENTAL HAZARDS:** This pesticide is extremely toxic to fish and aquatic invertebrates. This product is highly toxic to bees exposed to direct treatment or residues.

**POST APPLICATION INFORMATION:** Please refer to product label for any additional post application information/use restrictions.

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is coveralls, chemical resistant gloves, Shoes plus socks.

**COMMON NAME:** dicamba; diflufenzopyr; nicosulfuron (Celebrity Plus)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If swallowed, immediately call a poison control center or doctor for treatment advice.

**PRECAUTIONARY STATEMENT:** Causes moderate eye irritation. Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. May cause skin allergies to develop.

**ENVIRONMENTAL HAZARDS:** This chemical is known to leach through soil into ground water under certain conditions as a result of agricultural use.

**POST APPLICATION INFORMATION:** Please refer to product label for any crop use/rotational restrictions.

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls, Waterproof gloves, Shoes plus socks.

**COMMON NAME:** carbaryl (Carbaryl, Sevin, Sevin XLR Plus)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If swallowed, immediately call a poison control center or doctor for treatment advice. If inhaled, move person to fresh air.

**PRECAUTIONARY STATEMENT:** Harmful if swallowed, absorbed through the skin, inhaled or if in eyes. Avoid breathing vapors or spray mist. Avoid

contact with eyes, skin or clothing.

**ENVIRONMENTAL HAZARDS:** This product is extremely toxic to aquatic and estuarine invertebrates. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds.

**POST APPLICATION INFORMATION:** Please refer to product label for any additional post application information/use restrictions.

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. Exception: If the product is soil-injected or soil-incorporated, The Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, shoes plus socks, chemical resistant gloves (Category A), and headgear for overhead exposure.

**COMMON NAME:** ethephon (Cerone)

**STATEMENT OF PRACTICAL TREATMENT:** If on skin, flush immediately with plenty of water for at least 15 minutes. Remove contaminated clothing. If inhaled, stop spraying and move to uncontaminated area. Call a physician. If in eyes, flush immediately with plenty of water for at least 15 minutes and call a physician. If swallowed, call physician immediately.

**PRECAUTIONARY STATEMENT:** Corrosive. Causes irreversible eye damage. Causes skin irritation. Do not get in eyes. Harmful or fatal if swallowed. Avoid inhalation of spray mist. May cause respiratory irritation.

**POST APPLICATION INFORMATION:** Do not graze or forage treated crop or cut for hay or silage. Mature straw at normal harvest may be consumed by animals. Do not enter treated areas without protective clothing until sprays have dried. Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Advise workers to stay out of fields during application and until sprays have dried. Regular long-sleeved work clothing should be worn when working in treated fields. See Precautionary Statements, State of Practical Treatment and Note to Physician for information on accidental exposures. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information: appropriate signal word (WARNING), area treated with Ethrel Plant Regulator, date of application, appropriate protective clothing and reentry interval if applicable.

**COMMON NAME:** copper hydroxide (Champ)

**STATEMENT OF PRACTICAL TREATMENT:** IF IN EYES: Flush with plenty of water. Call a poison control center for treatment advice. IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 to 2 glasses of water and induce vomiting. Do not induce vomiting or give anything by mouth to an unconscious person. IF ON SKIN: Wash with plenty of soap and water. Get medical attention. IF INHALED: Remove to fresh air. If not breathing, give artificial respiration. Get medical attention.

**PRECAUTIONARY STATEMENT:** Causes moderate eye injury. Avoid breathing vapor or spray mist. Harmful if swallowed or absorbed through the skin. Avoid contact with eyes, skin and clothing.

**ENVIRONMENTAL HAZARDS:** Drift and runoff from treated areas may be hazardous to fish and aquatic organisms in adjacent aquatic sites.

**POST APPLICATION INFORMATION:** **AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours provided the following instructions are followed: For at least 7 days following application an eye-flush container, designed specifically for flushing eyes, must be available at the WPS decontamination site for workers entering the area treated with copper hydroxide. Notify workers of the application by warning them orally that residues in the treated areas may be highly irritating to their eyes and to take precautions such as refraining from rubbing their eyes and if they get residues in their eyes they should immediately flush their eyes using the eye flush container. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, water proof gloves, shoes plus socks and protective eyewear.

**COMMON NAME:** chlorsulfuron; metsulfuron methyl (Cimarron Plus, Finesse)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, and then continue rinsing. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**PRECAUTIONARY STATEMENT:** Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Avoid breathing dust or spray mist.

**POST APPLICATION INFORMATION:** Temporary discoloration and/or crop injury may occur if Finesse is applied when the crop is stressed by severe weather conditions (such as heavy rain, prolonged cold weather, or wide fluctuations in day/night temperatures), disease or insect damage, low fertility, applications to coarse soils, or when applied in combination with surfactant and high rates of liquid nitrogen fertilizer solutions. **Please refer to product label for any additional post application information/use restrictions.**

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls and chemical resistant gloves (Category A).

**COMMON NAME:** dicamba (Banvel, Clarity)

**STATEMENT OF PRACTICAL TREATMENT:** If swallowed, call a poison control center or doctor immediately for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**PRECAUTIONARY STATEMENT:** Causes moderate eye irritation. Avoid contact with eyes, skin and clothing. Harmful if swallowed or absorbed through the skin.

**ENVIRONMENTAL HAZARDS:** This chemical is known to leach through soil into ground water under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.

**POST APPLICATION INFORMATION:** AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls, Waterproof gloves, Shoes plus socks. Do not cultivate within 7 days after applying Clarity.FIELD, SEED AND SILAGE CORN: Prior to ensilage (milk) stage of the crop, do not harvest or graze corn for dairy or beef feed. GRAIN SORGHUM (Milo): Do not graze or feed treated sorghum forage or silage prior to mature grain stage. PASTURE, RANGELAND AND NON-CROPLAND AREAS: Remove meat animals from treated areas 30 days prior to slaughter. There is no waiting period between treatment and grazing for non-lactating animals. Timing restrictions for lactating dairy animals following treatment: Up to 1 pint, 7 days before grazing; up to 1 quart, 21 days before grazing; up to 2 quarts, 40 days before grazing and up 8 quarts, 60 days before grazing.

**COMMON NAME:** chlorimuron ethyl (Classic)

**STATEMENT OF PRACTICAL TREATMENT:** If on skin, wash with plenty of soap and water. Get medical attention if irritation persists. If in eyes, flush eyes with plenty of water. Call a physician if irritation persists.

**PRECAUTIONARY STATEMENT:** May irritate eyes, nose, throat and skin. May be harmful if absorbed through skin. Avoid breathing dust or spray mist. Avoid contact with skin, eyes and clothing.

**POST APPLICATION INFORMATION:** Do not graze treated fields or harvest for forage or hay.

**COMMON NAME:** clopyralid; triclopyr (Confront)

**STATEMENT OF PRACTICAL TREATMENT:** If swallowed: Call a doctor or get medical attention. If on skin: Wash exposed area with plenty of soap and water. Get medical attention. If in eyes: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention. If inhaled: Remove person to fresh air. Get medical attention.

**PRECAUTIONARY STATEMENT:** Causes irreversible Eye Damage. Prolonged or frequently repeated skin contact may cause allergic skin reaction in some individuals (concentrate product only). Harmful if absorbed through skin, or if swallowed or inhaled. Do not get in eyes or on clothing. Avoid contact with skin. Avoid breathing vapors.

**ENVIRONMENTAL HAZARDS:** Clopyralid is a chemical which can travel (seep or leach) through soil and under certain conditions contaminate groundwater which may be used for irrigation or drinking purposes.

**POST APPLICATION INFORMATION:** Do not reseed for three weeks after application. Do not use grass clippings from turf treated with Confront for mulch. Do not use compost containing grass clippings from turf treated with Confront in the growing season of application.

**COMMON NAME:** 2,4-D and triclopyr (Crossbow)

**STATEMENT OF PRACTICAL TREATMENT:** In case of contact, flush skin or eyes with plenty of water. Get medical attention if irritation persists. If swallowed, call a physician or Poison Control Center.

**PRECAUTIONARY STATEMENT:** Harmful if swallowed, inhaled, or absorbed through skin. Causes eye irritation. This product may cause allergic skin reaction. Avoid contact with skin, eyes, or clothing. Remove contaminated clothing.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish.

**POST APPLICATION INFORMATION:** Withdraw livestock from treated forage at least 3 days before slaughter during the year of treatment. Do not graze lactating dairy animals on treated areas for one year following treatment. Do not harvest grass for hay from treated areas for one year following treatment. Do not graze areas treated with more than 1.5 gallons per acre of product or harvest hay from treated areas for one year following treatment.

**COMMON NAME:** ethalfluralin (Curbit EC)

**STATEMENT OF PRACTICAL TREATMENT:** IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center for treatment advice. IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting or give anything by mouth to an unconscious person. Drink promptly a large quantity of milk, egg whites, gelatin solution, or large quantities of water. Avoid alcohol. IF ON SKIN: Wash with plenty of soap and water. Get medical attention. IF INHALED: Remove to fresh air. If not breathing, give artificial respiration. Get medical attention.

**PRECAUTIONARY STATEMENT:** Causes irreversible eye damage and skin burns. Harmful if swallowed or inhaled. This product may cause skin sensitization reactions in certain individuals. Do not get in eyes, on skin or on clothing. Avoid breathing vapor or spray mist.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic invertebrates. Runoff from treated areas may be hazardous to fish in neighboring areas. Due to risk to plants and animals in aquatic habitats that receive runoff containing this product, use of controls such as a vegetative buffer strip to filter such water flow from recently treated fields is recommended.

**POST APPLICATION INFORMATION:** Do not graze or forage crop grown in treated soil or cut for hay or silage. AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls over long sleeved shirt and long pants, chemical resistant gloves, such as barrier laminate or viton, chemical resistant footwear plus socks and protective eyewear.

**COMMON NAME:** dimethoate, (Dimethoate 4EC, Dimate)

**STATEMENT OF PRACTICAL TREATMENT:** If swallowed, call a physician immediately. If on skin, remove contaminated clothing and wash skin with soap and water. If inhaled, remove victim to fresh air. Call a physician. If in eyes, flush with water for at least 15 minutes. Get medical attention.

**PRECAUTIONARY STATEMENT:** Harmful or fatal if swallowed. Causes eye irritation. Avoid breathing spray mist. Avoid contact with skin and eyes.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to wildlife and aquatic invertebrates. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. This pesticide is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds.

**POST APPLICATION INFORMATION:** AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter treated areas for 48 hours unless appropriate protective clothing is worn. Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Get medical attention if needed. FIELD CORN: Do not feed or graze within 14 days of last application. SORGHUM: Do not graze within 28 days of last application. SOYBEANS: Do not feed or graze within 5 days of last application. WHEAT: Do not apply within 14 days of grazing immature plant. ALFALFA: Do not feed or graze livestock in treated crops, hay, threshings or stubble within 10 days of

application. BEANS, (green, lima, snap, dry): Do not feed treated vines. PEAS: Do not feed or graze hay within 21 days after last application. APPLES, PEARS: Do not graze livestock in treated orchards.

**COMMON NAME:** dicamba; diflufenzopyr (Distinct)

**STATEMENT OF PRACTICAL TREATMENT:** IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor.

**PRECAUTIONARY STATEMENT:** Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

**ENVIRONMENTAL HAZARDS:** Keep out of lakes, streams, or ponds. This chemical is known to leach through soil into ground water under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.

**POST APPLICATION INFORMATION:** Do not graze or harvest hay from treated areas. Do not apply within 32 days of con forage harvest. Do not apply within 72 days of corn grain and stover harvest. AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, water proof gloves and shoes plus socks.

**COMMON NAME:** s-metolachlor (Dual Magnum, Dual II Magnum, Medal)

**STATEMENT OF PRACTICAL TREATMENT:** If swallowed, call a physician or Poison Control Center immediately for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance. Call a poison control center or doctor for further treatment advice. If swallowed, call a poison control center or doctor immediately for treatment advice.

**PRECAUTIONARY STATEMENT:** Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing. May cause skin sensitization reactions in certain individuals.

**ENVIRONMENTAL HAZARDS:** s-metolachlor has the potential to leach through soil into ground water under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination. The active ingredient in this product have the potential to contaminate surface water through ground spray drift. Under some conditions, the active ingredient may also have a high potential for runoff into surface water (primarily via dissolution in runoff water) for several months post application. These include poorly drained or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas overlaying extremely shallow ground water, areas with in-field canals or ditches that drain to surface water, areas not separated from adjacent surface water with vegetated filter strips, and areas overlaying tile drainage systems that drain to surface water.

**POST APPLICATION INFORMATION:** Please refer to product label for any additional post application information/use restrictions.

AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. **Exception:** If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

For early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil and water, wear: coveralls, chemical resistant gloves (barrier laminate or viton) and shoes plus socks.

**COMMON NAME:** mefluidide (Embark)

**STATEMENT OF PRACTICAL TREATMENT:** If swallowed, get medical attention. If in eyes, flush with plenty of water for 15 minutes. Get medical attention if irritation persists. If on skin, wash with plenty of soap and water. Get medical attention if irritation persists.

**PRECAUTIONARY STATEMENT:** Harmful if swallowed or absorbed through the skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing.

**POST APPLICATION INFORMATION:** Do not allow animals to graze on treated areas.

**COMMON NAME:** captan; carboxin (Enhance)

**STATEMENT OF PRACTICAL TREATMENT:** If swallowed, contact a Poison Control Center, a physician, or nearest hospital. For eye contact, immediately flush eyes with large amounts of running water for at least 15 minutes. Hold eyelids apart to ensure rinsing of the entire surface of the eye and lids with water. Get medical attention immediately. For skin contact, flush all affected areas with plenty of water for several minutes. Remove and clean contaminated clothing and shoes. Seek medical attention if irritation occurs. If inhaled, remove to fresh air. Seek medical attention if respiratory irritation occurs or if breathing becomes difficult.

**PRECAUTIONARY STATEMENT:** Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Avoid contact with skin and clothing. Avoid inhalation of dust or spray mist.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas.

**POST APPLICATION INFORMATION:** AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours. **Exception:** If the product is soil-injected or soil-incorporated, The Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls, protective eyewear, chemical resistant gloves and shoes plus socks.

**COMMON NAME:** EPTC (Eptam, Eradicane)

**STATEMENT OF PRACTICAL TREATMENT:** If swallowed, contact a Poison Control Center, a physician, or nearest hospital. For eye contact, immediately flush eyes with large amounts of running water for at least 15 minutes. Hold eyelids apart to ensure rinsing of the entire surface of the eye and lids with water. Get medical attention immediately. For skin contact, flush all affected areas with plenty of water for several minutes. Remove and clean contaminated clothing and shoes. Seek medical attention if irritation occurs. If inhaled, remove to fresh air. Seek medical attention if respiratory irritation occurs or if breathing becomes difficult.

**PRECAUTIONARY STATEMENT:** Harmful if swallowed. Avoid contact with skin, eyes and clothing. Avoid inhalation of spray mist.

**ENVIRONMENTAL HAZARDS:** This product is toxic to shrimp.

**POST APPLICATION INFORMATION:** Please refer to product label for any additional post application information/use restrictions.

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. Exception: If the product is soil-injected or soil-incorporated, The Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, shoes plus socks, chemical resistant gloves and protective eyewear.

**COMMON NAME:** tribenuron methyl (Express)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eyelids open and flush with a steady, gentle stream of water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

**PRECAUTIONARY STATEMENT:** Causes moderate eye irritation. Avoid contact with eyes or clothing.

**POST APPLICATION INFORMATION:** Please refer to product label for any additional post application information/use restrictions.

AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. Exception: If the product is soil-injected or soil-incorporated, The Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, shoes plus socks and chemical resistant gloves.

**COMMON NAME:** glyphosate (Extreme, Roundup, Touchdown)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance. Call a poison control center or doctor for further treatment advice. If swallowed, call a poison control center or doctor immediately for treatment advice.

**PRECAUTIONARY STATEMENT:** Causes moderate eye irritation. Harmful if inhaled. Do not get in eyes, on skin or clothing. Avoid contact with eyes, skin or clothing. Avoid breathing vapor or spray mist. Domestic Animals: This product is considered to be relatively nontoxic to dogs and other domestic animals; however, ingestion of this product or large amounts of freshly sprayed vegetation may result in temporary gastrointestinal irritation. If such symptoms are observed, provide the animal with plenty of fluids to prevent dehydration. Call a veterinarian if symptoms persist for more than 24 hours.

**POST APPLICATION INFORMATION:** Keep people and pets off treated areas until spray solution has dried to prevent transfer of this product onto desirable vegetation. GRASSES FOR SEED PRODUCTION: do not feed or graze treated areas within 8 weeks after application. CROPPING SYSTEMS: for other cropping systems, except following spot treatment in forage grasses and legumes, do not harvest or feed treated crops for 8 weeks after application. Allow 14 days following spot treatment or selective equipment use before grazing domestic livestock or harvesting forage grasses and legumes. Do not feed or graze treated milo fodder. PASTURES: Pasture or hay crop renovation, wait 8 weeks after application before grazing or harvesting. Wiper application, wait 14 days after application before grazing livestock or harvesting. **Please refer to product label for any additional post application information/use restrictions.**

AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls, Chemical resistant gloves, Shoes plus socks.

**COMMON NAME:** chlorsulfuron; metsulfuron methyl (Finesse)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, and then continue rinsing. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**PRECAUTIONARY STATEMENT:** Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Avoid breathing dust or spray mist.

**POST APPLICATION INFORMATION:** Temporary discoloration and/or crop injury may occur if Finesse is applied when the crop is stressed by severe weather conditions (such as heavy rain, prolonged cold weather, or wide fluctuations in day/night temperatures), disease or insect damage, low fertility, applications to coarse soils, or when applied in combination with surfactant and high rates of liquid nitrogen fertilizer solutions. **Please refer to product label for any additional post application information/use restrictions.**

AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls and chemical resistant gloves (Category A).

**COMMON NAME:** chloransulam-methyl (FirstRate)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, and then continue rinsing. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**PRECAUTIONARY STATEMENT:** Causes eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing.

**ENVIRONMENTAL HAZARDS:** This chemical and its transformation products demonstrate the properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. This chemical can contaminate surface water through spray drift. Under some conditions, this chemical, and/or its transformation products, may have a high potential for runoff into surface water (primarily via dissolution in runoff water), for several weeks post-application. Vulnerable conditions include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas over-laying extremely shallow groundwater, areas with in-field canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas over-laying tile drainage systems that drain to surface

water.

**POST APPLICATION INFORMATION:** Do not harvest soybeans for forage or hay for 14 days after application of FirstRate. Do not harvest soybeans for 65 days after application of FirstRate. **Please refer to product label for any additional post application information/use restrictions.**

**COMMON NAME:** 2,4 D; aminopyralid (Forefront)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If swallowed, call a poison control center or doctor immediately for treatment advice.

**PRECAUTIONARY STATEMENT:** Corrosive. Causes irreversible eye damage. Harmful if swallowed. Do not get in eyes or on clothing.

**ENVIRONMENTAL HAZARDS:** This product is toxic to aquatic invertebrates.

**POST APPLICATION INFORMATION:** **Please refer to product label for any additional, specific post application information and/or use restrictions.**

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Protective eyewear, Coveralls; Chemical-resistant gloves, such as barrier laminate or viton □ mils; Shoes plus socks.

**COMMON NAME:** pymetrozine (Fulfill)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If swallowed, call a poison control center or doctor immediately for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If inhaled, move person to fresh air and call a poison control center or doctor for further treatment advice.

**PRECAUTIONARY STATEMENT:** Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing.

**POST APPLICATION INFORMATION:** **Please refer to product label for any additional, specific post application information and/or use restrictions.**

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls; Chemical-resistant gloves made of waterproof material; Shoes plus socks.

**COMMON NAME:** carbofuran (Furadan)

**STATEMENT OF PRACTICAL TREATMENT:** If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention. If inhaled, remove to fresh air. Call a physician immediately. If in eyes, flush with plenty of water for at least 15 minutes. Get medical attention. If on skin, wash skin immediately with soap and water. Remove contaminated clothing and wash before reuse.

**PRECAUTIONARY STATEMENT:** Poisonous if swallowed or inhaled. May be fatal or harmful as a result of skin or eye contact or by breathing spray mist or dust.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Drift and runoff from treated areas may be hazardous to fish in neighboring areas. This product is highly toxic to bees exposed to direct treatment or residues on crops. Carbofuran is a chemical which can travel (seep or leach) through soil and can contaminate ground water which may be used as drinking water.

**POST APPLICATION INFORMATION:** **Please refer to product label for specific post application information and/or use restrictions.**

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during restricted entry interval (REI) of 48 hours (except for foliar application to corn, sunflowers, or sorghum).

After foliar application on corn, sunflowers, and sorghum, do not enter or allow worker entry into treated area during restricted entry Interval (REI) of 14 days Exception: for last 12 days of REI, workers may enter treated area to perform hand labor or other tasks involving contact with anything that has been treated, such as plants, soil, or water, without time limit, if they wear early entry personal protective equipment listed below.

PPE required for early entry to treated areas permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls, Chemical-resistant gloves, such as Barrier Laminate or Butyl Rubber, or Nitrile Rubber or Neoprene Rubber or Polyvinyl Chloride or Viton, and Shoes plus socks.

Notify workers of application by warning them orally and by posting warning signs at entrances to treated areas.

**COMMON NAME:** fluazifop-P-butyl and fenoxaprop-P-ethyl (Fusion)

**STATEMENT OF PRACTICAL TREATMENT:** IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Call a physician if irritation persists. IF ON SKIN: Wash with plenty of soap and water. Get medical attention. IF INHALED: Remove to fresh air. Get medical attention.

**PRECAUTIONARY STATEMENT:** Harmful if swallowed. Harmful if absorbed through skin. Causes moderate eye injury. Avoid contact with skin, eyes, or clothing. Avoid breathing dust (spray mist). Prolonged or frequent skin contact may cause allergic reactions in some individuals.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish.

**POST APPLICATION INFORMATION:** Do not graze or harvest for forage or hay.

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls; Chemical-resistant gloves, such as Barrier laminate or Viton; Shoes plus socks.

**COMMON NAME:** dimethenamid and atrazine (Guardsman, Guardsman Max)

**STATEMENT OF PRACTICAL TREATMENT:** If swallowed: Call a physician or Poison Control Center. If inhaled: Remove victim to fresh air. If on skin: Wash with plenty of soap and water. Get medical attention. If in eyes: Flush with plenty of water. Call a physician if irritation persists.

**PRECAUTIONARY STATEMENT:** Harmful if swallowed, inhaled or absorbed through the skin. Causes eye irritation. Avoid breathing spray. Avoid contact with skin, eyes, or clothing. Prolonged or frequent repeated skin contact may cause allergic reactions in some individuals.

**ENVIRONMENTAL HAZARDS:** Atrazine is toxic to aquatic invertebrates. Dimethenamid has properties that may result in groundwater contamination. Application in areas where soils are permeable or coarse and groundwater is near the surface could result in groundwater contamination. Atrazine can leach through soil and has been found to result in contamination of water supplies by way of groundwater.

**POST APPLICATION INFORMATION:** AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. Exception: If the product is soil-injected or soil incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, chemical-resistant gloves, such as barrier laminate or butyl rubber or nitrile rubber or neoprene rubber or polyvinyl chloride (PVC) or viton; chemical-resistant footwear plus socks, protective eyewear.

**Rotational Restrictions:** Corn, sorghum, soybeans, cotton or peanuts may be planted the year following treatment with Guardsman Max. Injury may occur to soybeans planted on soils having a calcareous surface layer. Do not plant sugarbeets, tobacco, vegetables, spring-seeded small grains, or small seeded legumes and grasses the year following application or injury may occur.

**Corn:** Field corn forage may be grazed or fed to livestock 60 days or more after application of Guardsman Max. Sweet corn forage may be grazed or fed 45 days after application. **Sorghum:** Forage may be grazed or fed 45 days after post-emergence application of Guardsman Max. Grain and fodder may be harvested and fed 80 days after application.

**COMMON NAME:** thifensulfuron-methyl and tribenuron-methyl (Harmony Extra)

**STATEMENT OF PRACTICAL TREATMENT:** In case of contact with eyes, immediately flush with plenty of water. Get medical attention if irritation persists. Remove contaminated clothing and wash before reuse.

**PRECAUTIONARY STATEMENT:** Causes moderate eye irritation. Avoid contact with skin, eyes and clothing.

**POST APPLICATION INFORMATION:** Do not graze or feed forage, hay or straw of treated areas to livestock (harvested straw may be used for bedding and/or feed). Do not harvest sooner than 45 days after the last application of Harmony Extra. **Please refer to product label for any additional post application information/use restrictions.**

AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls; Chemical resistant gloves; Shoes plus socks.

**COMMON NAME:** thifensulfuron-methyl (Harmony GT, Pinnacle)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, flush eyes with plenty of water. Call a physician if irritation persists. If on skin, wash with plenty of soap and water.

**PRECAUTIONARY STATEMENT:** Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing.

**POST APPLICATION INFORMATION:** Do not graze or feed forage, hay or straw of treated areas to livestock. **Please refer to product label for any additional post application information/use restrictions.**

AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls. Waterproof gloves. Shoes plus socks.

**COMMON NAME:** pyraclostrobin (Headline)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance. Call a poison control center or doctor for further treatment advice. If swallowed, call a poison control center or doctor immediately for treatment advice.

**PRECAUTIONARY STATEMENT:** May be fatal if swallowed. Causes substantial but temporary eye injury. Causes skin irritation. Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing.

**ENVIRONMENTAL HAZARDS:** This product has a potential for runoff for several months or more after application. This pesticide is toxic to fish and aquatic invertebrates.

**POST APPLICATION INFORMATION:** **Please refer to product label for any post application information/use restrictions.**

AGRICULTURAL USE REQUIREMENTS: Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours for all crops except when performing bare-hand detasseling or hand harvesting in treated corn. REI for these tasks is 7 days. Notify workers of this exception. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls, Chemical resistant gloves, Shoes plus socks.

**COMMON NAME:** flumetsulam and clopyralid (Hornet)

**STATEMENT OF PRACTICAL TREATMENT:** **If in eyes:** Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention. **If swallowed:** Call a physician or Poison Control center. **If inhaled:** Remove individual to fresh air. **If on skin:** Immediately wash with plenty of soap and water. Get medical attention if irritation develops.

**PRECAUTIONARY STATEMENT:** Causes irreversible eye damage. Do not get in eyes or on clothing. Harmful if swallowed, inhaled, or absorbed through the skin. May cause skin sensitization reactions in certain individuals. Avoid breathing spray mist and contact with skin, eyes, or clothing.

**ENVIRONMENTAL HAZARDS:** The active ingredients in this product are known to leach through soil into groundwater under certain conditions as a result of agricultural use. Use of this product where soils are permeable, particularly where the water table is shallow, may result in leaching to groundwater.

**POST APPLICATION INFORMATION: Preharvest interval:** An interval of at least 85 days is required between application of Hornet and field corn harvest.

**Crop residues from treated areas:** Crop residues from treated areas cannot be used for composting or mulching on ground where susceptible crops may be grown the following season. **Do not move treated soil:** Avoid situations where soil particles may blow into areas where susceptible crops are grown. The hazard of movement of this product on dust is reduced if treated fields are irrigated or if rain occurs shortly after application.

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours. **Exception:** If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls, Waterproof gloves, Shoes plus socks, protective eyewear.

**COMMON NAME:** bromacil (Hyvar)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, flush with plenty of water. Get medical attention if irritation persists. If on skin, wash with plenty of soap and water. Get medical attention if irritation persists.

**PRECAUTIONARY STATEMENT:** Harmful or fatal if swallowed. Causes eye irritation. May irritate nose, throat, and skin. Do not get in eyes. Avoid contact with skin and clothing. Avoid breathing spray mist.

**ENVIRONMENTAL HAZARDS:** Do not use water from treated ditches or irrigation.

**COMMON NAME:** paraquat (Gramoxone Extra, Gramoxone Inteon, Cyclone, Paraquat Plus)

**STATEMENT OF PRACTICAL TREATMENT:** If swallowed, speed is essential. Immediate medical attention is required. If available, give an adsorbent such as activated charcoal, bentonite or Fullers Earth. If inhaled, move person to fresh air. The odor of this product is from the alerting agent, which has been added, not from the paraquat. Call a doctor or poison control center for further treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and immediately wash with soap and water and rinse for 15-20 minutes. Prolonged contact will cause severe irritation. Contact with irritated skin or a cut or repeated contact with intact skin may result in poisoning. Get medical attention.

**PRECAUTIONARY STATEMENT:** May be fatal if swallowed. Fatal if inhaled. Do not breathe spray mist. Wear a dust mist approved respirator with any N, R, P, or HE filter. Causes substantial but temporary eye injury. Wear protective eyewear. Harmful if absorbed through skin. Do not get in eyes, on skin, or on clothing. Avoid contact with skin.

**ENVIRONMENTAL HAZARDS:** This product is toxic to wildlife.

**POST APPLICATION INFORMATION:** Do not use around home gardens, schools, recreational parks, or playgrounds. Use of this product over top of plastic mulch, for pre-plant weed control, may damage transplants which come in contact with the plastic. **For further post application information/use restrictions, please read the "Crop Use Directions" section of the label that refers to the crop that this product will be applied to.**

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

For preplant or preemergence, chemical fallow, postemergence directed spray, early postemergence broadcast in peanuts and dormant season applications and between cutting applications in alfalfa: Do not enter or allow worker entry in treated areas during the restricted entry interval (REI) of 12 hours.

For harvest aid and desiccation applications: Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls; Chemical resistant gloves (Category A); Shoes plus socks.

**COMMON NAME:** glufosinate-ammonium (Liberty)

**STATEMENT OF PRACTICAL TREATMENT:** If swallowed, call a physician or Poison Control Center. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance. Call a poison control center or doctor for further treatment advice. If swallowed, call a poison control center or doctor immediately for treatment advice.

**PRECAUTIONARY STATEMENT:** Causes substantial but temporary eye injury. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist.

**ENVIRONMENTAL HAZARDS:** Glufosinate-ammonium and its degradates have those properties normally associated with pesticides that have been detected in groundwater. Use of this product in areas with coarse soils and high water tables may result in groundwater contamination.

**POST APPLICATION INFORMATION:** Do not allow grazing of vegetation treated with this product. **Please refer to product label for any additional post application information/use restrictions.**

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls; chemical-resistant gloves such as barrier laminate, butyl rubber  14 mils, nitrile rubber  14 mils, neoprene rubber  14 mils, polyvinyl chloride (PVC)  14 mils or viton  14 mils; shoes plus socks; protective eyewear.

**COMMON NAME:** linuron (Lorox, Linex, Linuron)

**STATEMENT OF PRACTICAL TREATMENT:** If swallowed, call a physician or Poison Control Center immediately for treatment advice. If in eyes, hold eye

open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance. Call a poison control center or doctor for further treatment advice. If swallowed, call a poison control center or doctor immediately for treatment advice.

**PRECAUTIONARY STATEMENT:** Harmful if swallowed. Causes eye irritation. May irritate nose, throat and skin. Avoid breathing dust or spray mist. Avoid contact with skin, eyes and clothing.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic invertebrates. This chemical is known to leach through soil into ground water under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination. Linuron may contaminate surface water through spray drift or under certain conditions, from surface runoff into adjacent surface water bodies. For several weeks post application, linuron has a high potential to runoff when applied to fields with sloping land draining into nearby surface waters, very poorly to somewhat poorly drained soils, areas with extremely shallow ground water, frequently flooded areas, fields with surface water canals or ditches and highly erodible land.

**POST APPLICATION INFORMATION:** Any crop registered for the rate of linuron that was applied may be replanted immediately. Any crop may be planted after 4 months, except for cereals, where only barley, oats, rye, and wheat may be planted. Any other cereal crop can be planted after 12 months. **Please refer to product label for any additional post application information/use restrictions.** **AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, chemical resistant gloves (barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, PVC or viton), shoes plus socks.

**COMMON NAME:** imazethapyr and imazapyr (Lightning)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention. If on skin: Wash with plenty of soap and water. Get medical attention. If swallowed: Call a doctor or get medical attention.

**PRECAUTIONARY STATEMENT:** Causes substantial but temporary eye injury. Do not get in eyes, on skin or on clothing. Harmful if swallowed or absorbed through skin.

**ENVIRONMENTAL HAZARDS:** This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

**POST APPLICATION INFORMATION:** There should be an interval of at least 45 days between an application of LIGHTNING and corn harvest (silage, fodder, or grain). DO NOT graze or feed treated corn forage, silage, fodder, or grain for at least 45 days after an application of LIGHTNING.

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls, Waterproof gloves, Shoes plus socks, and protective eyewear.

**COMMON NAME:** chlorpyrifos (Govern, Lorsban)

**STATEMENT OF PRACTICAL TREATMENT:** If swallowed, call a physician or poison control center immediately. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, and then continue rinsing. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**PRECAUTIONARY STATEMENT:** May be fatal if swallowed. Harmful if absorbed through skin. Causes substantial but temporary eye injury. Causes skin irritation. Avoid breathing spray mist or dust. Do not get in eyes, on skin, or on clothing. Immediately remove contaminated clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to birds and wildlife, and extremely toxic to fish and aquatic organisms. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds.

**POST APPLICATION INFORMATION:** **AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI). The REI for each crop is listed in the directions for use associated with each crop. **Exception:** If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls over short-sleeved shirt and short pants, waterproof gloves, chemical resistant shoes plus socks and chemical resistant headgear for overhead exposure. Notify workers of the application by warning them orally and by posting warning signs at the entrances to treated areas. ALFALFA: do not cut or graze treated alfalfa within 7 days after application of 1/2 pint of Lorsban 4E per acre, within 14 days after application of 1 pint per acre, or within 21 days after application of rates above 1 pint per acre. CHERRIES: do not allow meat or dairy animals to graze in treated orchards. FIELD CORN, POPCORN, SWEET CORN: do not allow livestock to graze in treated areas not harvest treated corn silage as feed for meat or dairy animals within 14 days after last treatment. Do not feed treated corn fodder to meat or dairy animals within 35 days after last treatment. GRAIN SORGHUM: the treated crop is not to be used for grain, forage, fodder, hay or silage within 30 days after application of 1 pint of Lorsban 4E per acre or within 60 days after application of rates above 1 pint per acre. NECTARINES, PEACHES: do not allow meat or dairy animals to graze in treated orchards. SOYBEANS: do not allow livestock to graze in treated areas or otherwise feed treated soybean forage, hay, and straw to meat or dairy animals. SUNFLOWERS: do not allow livestock to graze in treated areas. TREE FRUITS: do not allow meat or dairy animals to graze in treated orchards. **Please refer to product label for any additional post application information/use restrictions.**

**COMMON NAME:** atrazine, S-metolachlor, mesotrione (Lexar, Lumax)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If inhaled, move person to

fresh air. If person is not breathing, call 911 or an ambulance. Call a poison control center or doctor for further treatment advice. If swallowed, call a poison control center or doctor immediately for treatment advice.

**PRECAUTIONARY STATEMENT:** Harmful if swallowed. Causes moderate eye injury. Do not get in eyes or on clothing. Avoid contact with skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

**ENVIRONMENTAL HAZARDS:** This pesticide contains atrazine, which has been shown to be toxic to aquatic invertebrates. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Lumax contains the active ingredients S-metolachlor, mesotrione and atrazine. Atrazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found in ground water. S-metolachlor has the potential to leach through soil into ground water under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination. The active ingredients in this product have the potential to contaminate surface water through ground spray drift. Under some conditions, the active ingredients may also have a high potential for runoff into surface water (primarily via dissolution in runoff water) for several months post application. These include poorly drained or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas overlying extremely shallow ground water, areas with in-field canals or ditches that drain to surface water, areas not separated from adjacent surface water with vegetated filter strips, and areas overlying tile drainage systems that drain to surface water.

**POST APPLICATION INFORMATION:** Dry weather following pre-emergence application of Lumax or a tank mixture may reduce effectiveness. Cultivate if weeds develop in conventional tillage corn. This product will not provide consistent control of emerged grass weeds. Do not make a foliar post-emergence application of any organophosphate or carbamate insecticide within 7 days before or after a Lumax application. Do not rotate to crops other than corn, cotton, soybeans, sorghum or peanuts the spring following application of Lumax. Do not graze or feed forage or fodder from cotton to livestock. If applied after June 10, do not rotate with crops other than corn the next season. Do not plant sugar beets, tobacco, vegetable (including dry beans), or small-seeded legumes the year following application. Winter wheat may be planted 4 ½ months following application. Do not graze or feed forage from treated areas for 45 days after application. Do not harvest forage, grain, or stover within 45 days after application. **Please refer to product label for any additional post application information/use restrictions.**

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. Exception: If the product is soil-injected or soil-incorporated, The Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls over long-sleeved shirt and long pants; socks and chemical resistant footwear; chemical resistant gloves (barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, PVC or viton).

**COMMON NAME:** malathion (Malathion 5 EC)

**STATEMENT OF PRACTICAL TREATMENT:** IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists. IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, or gelatin solution, or large quantities of water. Avoid alcohol. Do not induce vomiting. IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water. IF INHALED: Remove to fresh air. If not breathing, give artificial respiration. Get medical attention.

**PRECAUTIONARY STATEMENT:** Harmful if swallowed. Causes substantial but temporary eye injury. Do not get in eyes or on skin or clothing. Avoid contact with skin. Avoid breathing of spray mist. Avoid contamination of feed and foodstuff.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages to amphibians. Drift and runoff may be hazardous to aquatic organisms in areas near the application site. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds.

**POST APPLICATION INFORMATION:** Soybeans: Do not apply within 7 days of harvest or forage use. On alfalfa, clover, pasture and range grass, grass and grass hay, may be applied on day of harvest or grazing. On grain crops, make no application within 7 days of harvest or forage use; on corn, within 5 days of harvest or forage. Peas, 7 days if vines are to be fed to livestock. Beets, do not apply within 10 days of harvest if tops are to be used as feed. Turnips, do not apply within 7 days of harvest if tops are to be used for food or feed. **AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, chemical resistant gloves, such as barrier laminate, butyl rubber, nitrile rubber, or viton, shoes plus socks, protective eyewear, and chemical resistant headgear for overhead exposure.

**COMMON NAME:** dicamba; atrazine (Marksman)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance. Call a poison control center or doctor for further treatment advice. If swallowed, call a poison control center or doctor immediately for treatment advice.

**PRECAUTIONARY STATEMENT:** Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to aquatic invertebrates. Run off and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Atrazine can leach through soil and has been found in groundwater.

**POST APPLICATION INFORMATION:** **Please refer to product label for specific crop use/rotational restrictions.** **AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours. **Exception:** If the product is soil injected or soil incorporated, the Worker Protection Standard, under certain circumstances, allow workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls, chemical resistant gloves and chemical resistant footwear, plus socks.

**COMMON NAME:** imidacloprid (Merit 75 WP & WSP, Submerge)

**STATEMENT OF PRACTICAL TREATMENT:** If swallowed, call a physician or Poison Control Center. If on skin, wash thoroughly with soap and water. Get medical attention if irritation occurs. If in eyes, hold eyelids open and flush with plenty of water.

**PRECAUTIONARY STATEMENTS:** Harmful if swallowed, inhaled, or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing dust or vapor.

**ENVIRONMENTAL HAZARDS:** This product is highly toxic to aquatic invertebrates. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. This chemical demonstrates the properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

**POST APPLICATION INFORMATION:** Keep children and pets off treated area until spray is dry. Do not graze treated areas or use clippings from treated area for feed or forage. Do not plant any food crop within one year of treatment with Merit 75 WP.

**COMMON NAME:** dicamba; primisulfuron-methyl (NorthStar)

**STATEMENT OF PRACTICAL TREATMENT:** IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists. IF SWALLOWED: Call a physician or Poison Control Center. IF ON SKIN: Wash with plenty of soap and water. Get medical attention if symptoms persist..

**PRECAUTIONARY STATEMENT:** Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin eyes or clothing.

**ENVIRONMENTAL HAZARDS:** Dicamba has been identified in ground water sampling under vulnerable conditions. There is th possibility that the dicamba in NorthStar may leach through soil to ground water especially where soils are coarse and ground water is near the surface.

**POST APPLICATION INFORMATION:** Do not graze or feed forage from North Star treated corn to livestock within 30 days after application. Do not harvest silage within 45 days after application. Do not harvest grain within 60 days after application. NorthStar herbicide may cause injury to desirable trees and plants, particularly beans, cotton, flowers, fruit trees, grapes, ornamentals, peas, potatoes, soybeans, sunflowers, tobacco, tomatoes, and other broadleaf plants when contacting their roots, stems, or foliage. **AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, water proof gloves, shoes plus socks, and protective eyewear.

**COMMON NAME:** myclobutanil (Nova)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance. Call a poison control center or doctor for further treatment advice. If swallowed, call a poison control center or doctor immediately for treatment advice.

**PRECAUTIONARY STATEMENT:** Causes eye irritation. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist.

**POST APPLICATION INFORMATION:** **Please refer to product label for specific crop use/rotational restrictions.** **AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls, waterproof gloves, shoes plus socks and chemical resistant headgear for over head exposure.

**COMMON NAME:** azoxystrobin (Quadris)

**STATEMENT OF PRACTICAL TREATMENT:** **If on skin:** Wash with plenty of soap and water. If symptoms persist, get medical attention.

**PRECAUTIONARY STATEMENT:** Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing. Wear long-sleeved shirt and long pants, socks and shoes and waterproof gloves. Wash thoroughly with soap and water after handling.

**ENVIRONMENTAL HAZARDS:** Azoxystrobin has degradation products which have properties similar to chemicals which are know to leach through soil to ground water under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. This pesticide is toxic to freshwater and estuarine/marine fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in neighboring areas.

**POST APPLICATION INFORMATION:** **AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls, Waterproof gloves, Shoes plus socks.

**COMMON NAME:** foramsulfuron (Option)

**STATEMENT OF PRACTICAL TREATMENT:** If swallowed, call a poison control center or doctor immediately. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**PRECAUTIONARY STATEMENT:** Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

**ENVIRONMENTAL HAZARDS:** This product is toxic to non-target plants. This product has a high potential for runoff after application.

**POST APPLICATION INFORMATION:** Do not cultivate 7 days before or after an application of Option. Do not apply option within 70 days of harvesting corn for grain, 45 days for forage. Do not graze within 45 days of Option application. **Please refer to product label for any additional post application information/use restrictions.**

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the

statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls over long-sleeved shirt and long pants, socks and shoes and chemical-resistant gloves made of any waterproof material such as polyethylene or polyvinyl chloride.

**COMMON NAME:** prosulfuron (Peak)

**STATEMENT OF PRACTICAL TREATMENT:** IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation. Avoid contact with eyes, skin or clothing. IF SWALLOWED: Call a physician or Poison Control Center. IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation occurs and persists.

**PRECAUTIONARY STATEMENT:** Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing.

**ENVIRONMENTAL HAZARDS:** This chemical demonstrates the properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

**POST APPLICATION INFORMATION:** Do not graze or feed forage from Peak treated crops to livestock until 30 days after application, Do not harvest silage until 40 days after application, Do not harvest grain until 60 days after application.

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls, Waterproof gloves, Shoes plus socks.

**COMMON NAME:** methyl-parathion (Methyl Parathion, PennCap-M)

**STATEMENT OF PRACTICAL TREATMENT:** IF SWALLOWED: Induce vomiting immediately. Call physician. IF ON SKIN: Immediately wash with soap and water and flush with plenty of water. Get medical attention. IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes.

**PRECAUTIONARY STATEMENT:** Fatal if swallowed. Harmful if absorbed through skin or inhaled. Avoid contact with skin, eyes, or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Avoid breathing vapors and spray mist.

**ENVIRONMENTAL HAZARDS:** This pesticide is highly toxic to aquatic invertebrates, wildlife. Birds and other wildlife in treated areas may be killed. Shrimp and other aquatic organisms may be killed at recommended application rates. Runoff and drift from target areas may be hazardous to aquatic organisms in adjacent aquatic sites. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds.

**POST APPLICATION INFORMATION:** SOYBEANS - Do not apply within 20 days of harvest or grazing. TOBACCO - When necessary to enter treated tobacco fields within 48 hours after application protective clothing should be worn. Do not apply within 15 days of priming tobacco. Avoid contact with plant juices when priming or cutting tobacco. ALFALFA AND CLOVER - Do not treat closer than 15 days before harvest cutting or grazing. GRASS (Forage) - Do not apply within 15 days of harvest or grazing. VETCH - Do not treat closer than 15 days before harvest or grazing. CARROTS - Do not feed tops. CORN (all) - Do not harvest, cut for forage, or graze within 12 days of application. RANGELAND, PASTURE, GRASS, grown for seed production and roadside areas - Do not apply within 15 days of harvest or grazing. WHEAT, OATS and BARLEY - Do not apply within 15 days of harvest or grazing. CHERRIES, NECTARINES, PEACHES, PLUMS, and PRUNES - Do not graze or feed cover crops from treated orchards. PEAS - Do not harvest for forage or graze within 15 days of application.

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 days. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls over long sleeved shirt and long pants, waterproof gloves, chemical resistant footwear and socks, protective eyewear, and chemical resistant headgear for overhead exposure.

**COMMON NAME:** halosulfuron-methyl (Permit)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, immediately flush with water. Get medical attention. If swallowed, get medical attention.

**PRECAUTIONARY STATEMENT:** Causes eye irritation. Harmful if swallowed. Avoid contact with eyes or clothing.

**POST APPLICATION INFORMATION:** FIELD CORN AND FIELD CORN GROWN FOR SEED: Following application to foliage, allow 30 days before grazing domestic livestock, harvesting forage, or harvesting silage. GRAIN SORGHUM (MILO): Following application to foliage, allow 30 days before grazing domestic livestock, harvesting forage, or harvesting silage.

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, waterproof gloves, and shoes plus socks.

**COMMON NAME:** sethoxydim (Conclude G, Poast, Poast Plus)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes: Immediately wash eyes with running water for 15 minutes. If irritation develops, consult a physician. If on skin: Wash with plenty of soap and water. If irritation develops, consult a physician. If inhaled: Move to fresh air.

**PRECAUTIONARY STATEMENT:** Causes substantial but temporary eye injury. Do not get into eyes or clothing. Harmful if swallowed.

**POST APPLICATION INFORMATION:** Do not apply to soybeans within 75 days of harvest. Do not use treated plants for feed or forage.

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls over short-sleeved shirt and short pants; Chemical-resistant gloves, such as barrier laminate or viton  mils; Chemical resistant

footwear plus socks; Protective eyewear; Chemical-resistant headgear for overhead exposure.

**COMMON NAME:** prometon (Pramitol 25E)

**STATEMENT OF PRACTICAL TREATMENT:** If inhaled: Remove victim to fresh air. If on skin: Wash thoroughly with soap and water. Get medical attention if irritation persists. If in eyes: Immediately flush eyes with a steady, gentle stream of water for 15 minutes and get medical attention.

**PRECAUTIONARY STATEMENT:** Corrosive - causes irreversible eye damage. Causes skin irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mists. Do not get in eyes, on skin, or on clothing.

**COMMON NAME:** prometon; simazine; sodium chlorate; sodium metaborate (Pramitol 5PS)

**STATEMENT OF PRACTICAL TREATMENT:** IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF INHALED: Remove to fresh air. If not breathing, give artificial respiration. Get medical attention. IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice.

**PRECAUTIONARY STATEMENT:** Causes substantial but temporary eye injury. Harmful if swallowed, inhaled, or absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. Avoid breathing dust.

**ENVIRONMENTAL HAZARDS:** Simazine is a chemical which can travel through soil and enter ground water which may be used as drinking water. Simazine has been found in ground water as a result of its use as a herbicide. Users of this product are advised not to apply simazine where the water table is close to the surface and where the soils are very permeable.

**COMMON NAME:** azoxystrobin and propiconazole (Quilt)

**STATEMENT OF PRACTICAL TREATMENT:** If on swallowed, call a poison control center or doctor immediately for treatment advice.

**PRECAUTIONARY STATEMENT:** Harmful if swallowed. Wash thoroughly with soap and water after handling.

**ENVIRONMENTAL HAZARDS:** Azoxystrobin can be persistent for several months or longer. Azoxystrobin has degradation products which have properties similar to chemicals which are known to leach through soil to ground water under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Azoxystrobin and propiconazole are toxic to freshwater and estuarine/marine fish; and azoxystrobin is toxic to aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in neighboring areas.

**POST APPLICATION INFORMATION:** Soybeans may be planted as a double crop following a cereal crop which has been treated with Quilt. Do not use hay, forage, or fodder from the soybean crop as any component of animal feed or bedding. Oats, rye and wild rice may be planted 45 days after Quilt application. Do not plant any crop intended for food, grazing, or any component of animal feed or bedding within 105 days of Quilt application to the preceding crop, unless the second crop appears on the label. Quilt is extremely phytotoxic to certain apple varieties. **AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. PPE required for early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls, Chemical resistant gloves, Shoes plus socks, protective eyewear (goggles, face shield or safety glasses).

**COMMON NAME:** simazine (Princep 4L, Princep Caliber 90, Simazine 4L)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, flush with plenty of water for at least 15-20 minutes. Get medical attention if irritation persists. If on skin or clothing, immediately remove contaminated clothing including shoes and wash with plenty of soap and water. If inhaled, remove victim to fresh air.

**PRECAUTIONARY STATEMENT:** Causes eye and skin irritation. Harmful if inhaled, swallowed or absorbed through the skin. Avoid breathing spray mist. Avoid contact with eyes, skin, or clothing.

**ENVIRONMENTAL HAZARDS:** Simazine is a chemical which can travel (seep or leach) through soil and enter ground water which may be used as drinking water. Simazine has been found in ground water as a result of its use as a herbicide.

**POST APPLICATION INFORMATION:** CORN: Do not graze treated areas. **Please refer to product label for any additional post application information/use restrictions.**

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. Exception: If the product is soil-injected or soil-incorporated, The Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, shoes plus socks and chemical resistant gloves.

**COMMON NAME:** pendimethalin (Prowl)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eyelids open and flush with a steady, gentle stream of water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. If swallowed, call a physician or Poison Control Center immediately. For skin contact, wash thoroughly with soap and water. Call a physician if skin irritation persists.

**PRECAUTIONARY STATEMENT:** Harmful if swallowed, absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish.

**POST APPLICATION INFORMATION:** Break up clods before a preplant incorporated application. Prowl 3.3 EC must be incorporated prior to planting and within 7 days of application. Do not feed forage or graze livestock for 75 days after planting wheat or barley in treated land. **FIELD CORN, GRAIN SORGHUM:** Livestock can graze or be fed forage from treated field corn after 21 days following application. **Please refer to product label for any additional post application information/use restrictions.**

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. Exception: If the product is soil-injected or soil-incorporated, The Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has

been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, shoes plus socks and chemical resistant gloves.

**COMMON NAME:** imazethapyr (Pursuit)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, and then continue rinsing. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. If inhaled move person to fresh air.

**PRECAUTIONARY STATEMENT:** Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Harmful if inhaled. Avoid breathing spray mist. Remove contaminated clothing.

**POST APPLICATION INFORMATION:** Please refer to product label for any additional post application information/use restrictions.

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours. Exception: If the product is soil-injected or soil-incorporated, The Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, shoes plus socks and chemical resistant gloves.

**COMMON NAME:** Bacillus thuringiensis (Raptor)

**STATEMENT OF PRACTICAL TREATMENT:** IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists. IF INHALED: Remove victim to fresh air.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

**PRECAUTIONARY STATEMENT:** Harmful if inhaled or absorbed through the skin. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist.

**POST APPLICATION INFORMATION:** **AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

**COMMON NAME:** fomesafen (Reflex)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance. Call a poison control center or doctor for further treatment advice. If swallowed, call a poison control center or doctor immediately for treatment advice.

**PRECAUTIONARY STATEMENT:** Corrosive. Causes irreversible eye damage. May be harmful or fatal if swallowed. Harmful if inhaled or absorbed through the skin. Do not get in eyes, on skin or on clothing. Avoid breathing vapors or spray mist.

**ENVIRONMENTAL HAZARDS:** This chemical is known to leach through soil into groundwater under certain conditions as a result of label use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

**POST APPLICATION INFORMATION:** **AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, shoes plus socks and chemical resistant gloves and protective eyewear.

**COMMON NAME:** fipronil (Regent)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance. Call a poison control center or doctor for further treatment advice. If swallowed, call a poison control center or doctor immediately for treatment advice.

**PRECAUTIONARY STATEMENT:** MAY BE FATAL IF SWALLOWED, ABSORBED THROUGH SKIN, OR INHALED. CAUSES EYE IRRITATION. Do not get on skin or breathe spray mist. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, and using tobacco. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

**ENVIRONMENTAL HAZARDS:** For terrestrial use. This pesticide is toxic to birds and aquatic and estuarine organisms (fish and invertebrates).

**POST APPLICATION INFORMATION:** Please refer to product label for any additional post application information/use restrictions.

**COMMON NAME:** rimsulfuron (Resolve)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, and then continue rinsing. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If swallowed, immediately call a poison control center or doctor. If inhaled, move person to fresh air.

**PRECAUTIONARY STATEMENT:** Causes eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing dust or spray mist.

**POST APPLICATION INFORMATION:** Please refer to product label for any additional post application information/use restrictions.

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are

covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls and chemical resistant gloves (Category A), shoes plus socks.

**COMMON NAME:** halosulfuron-methyl (Permit, Sandea)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, immediately flush with water. Get medical attention. If swallowed, get medical attention.

**PRECAUTIONARY STATEMENT:** Causes eye irritation. Harmful if swallowed. Avoid contact with eyes or clothing.

**POST APPLICATION INFORMATION:** FIELD CORN AND FIELD CORN GROWN FOR SEED: Following application to foliage, allow 30 days before grazing domestic livestock, harvesting forage, or harvesting silage. GRAIN SORGHUM (MILO): Following application to foliage, allow 30 days before grazing domestic livestock, harvesting forage, or harvesting silage.

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, waterproof gloves, and shoes plus socks.

**COMMON NAME:** clethodim (Select, Volunteer)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Call a poison control center or doctor for further treatment advice. If swallowed, call a poison control center or doctor immediately for treatment advice.

**PRECAUTIONARY STATEMENT:** Causes substantial but temporary eye irritation. Avoid contact with skin. Do not get in eyes, on skin or on clothing. Harmful if swallowed or inhaled. Avoid breathing vapors or spray mist. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

**POST APPLICATION INFORMATION:** Do not graze treated fields or feed treated forage or hay to livestock. Do not apply within 60 days of harvest. **Please refer to product label for any additional post application information/use restrictions.**

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, chemical-resistant gloves, such as barrier laminate or viton  mils, shoes plus socks, and protective eyewear.

**COMMON NAME:** metribuzin (Sencor, Lexone)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If swallowed, immediately call a poison control center or doctor for treatment advice.

**PRECAUTIONARY STATEMENT:** Harmful if swallowed or absorbed through skin. Causes moderate eye irritation.

**POST APPLICATION INFORMATION:** **Please refer to product label for any additional post application information/use restrictions.**

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. Exception: If the product is soil-injected or soil-incorporated, The Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, chemical resistant gloves and shoes plus socks.

**COMMON NAME:** terbacil (Sinbar)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**PRECAUTIONARY STATEMENT:** May irritate eyes, nose, throat and skin. Avoid breathing dust or spray mist. Avoid contact with skin, eyes, and clothing.

**POST APPLICATION INFORMATION:** Do not enter treated areas without protective clothing until sprays have dried. Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is a reason to believe that written warnings cannot be understood by workers. Warnings must include the following information: "CAUTION. Area treated with 'Sinbar' on (date of application). Do not enter without appropriate protective clothing until sprays have dried. In case of contact, flush skin or eyes with plenty of water; for eyes, get medical attention." APPLES, PEACHES: Do not graze or feed forage from treated areas to livestock.

**COMMON NAME:** tebuthiuron (Spike)

**STATEMENT OF PRACTICAL TREATMENT:** If swallowed, call a physician or Poison Control Center. Drink one or two glasses of water and induce vomiting by touching back of throat with finger or, if available, by administering one to two teaspoons of syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person. If on skin, wash with plenty of soap and water. Get medical attention if irritation develops. If in eyes, flush with plenty of water. Call a physician if irritation develops. If inhaled, remove individual to fresh air. If breathing difficulty occurs, get medical attention. If not breathing, provide cardiopulmonary resuscitation assistance (mouth-to-mouth) and get medical attention.

**PRECAUTIONARY STATEMENT:** Causes eye irritation. Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing dust and contact with

skin, eyes, or clothing. Remove contaminated clothing.

**POST APPLICATION INFORMATION:** WOODY PLANT CONTROL: grazing and haying: Grazing is only allowed in areas treated with 20 pounds per acre or less of Spike 20P, 4.7 pounds per acre or less of Spike Dry flowable, or 5 pounds per acre or less of Spike 80W. If rates exceed these, grass may be cut for hay one year after application. COOL-SEASON PASTURE ESTABLISHMENT: Do not graze through the spring establishment period. WARM-SEASON PASTURE ESTABLISHMENT: Do not graze through the establishment period. PASTURE/RANGELAND PRECAUTION: Grazing should be deferred the following growing season.

**COMMON NAME:** nicosulfuron, rimsulfuron (Steadfast)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**PRECAUTIONARY STATEMENT:** Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing.

**POST APPLICATION INFORMATION:** Please refer to product label for any additional post application information/use restrictions.

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls, chemical resistant gloves (Category A), shoes plus socks.

**COMMON NAME:** clopyralid (Stinger)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance. Call a poison control center or doctor for further treatment advice. If swallowed, call a poison control center or doctor immediately for treatment advice.

**PRECAUTIONARY STATEMENT:** Causes eye injury. Harmful if inhaled or absorbed through the skin. Avoid contact with skin eyes and clothing. Avoid breathing spray mist. Remove contaminated clothing and wash before reuse.

**ENVIRONMENTAL HAZARDS:** Clopyralid is a chemical which can travel (seep or leach) through soil and under certain conditions contaminate groundwater which may be used for irrigation or drinking purposes.

**POST APPLICATION INFORMATION:** Do not transfer livestock from treated grazing areas onto sensitive broadleaf crop areas without first allowing 7 days of grazing on untreated pasture. Otherwise, urine may contain enough clopyralid to cause injury to sensitive broadleaf plants. Do not move treated soil. Straw from treated areas, or manure from animals that have grazed treated areas, cannot be used for composting or mulching on ground where susceptible crops may be grown the following season. **FIELD CORN:** Do not allow livestock to graze treated areas or harvest treated corn silage as feed within 40 days after last treatment. **WHEAT, BARLEY AND OATS:** Do not permit dairy animals or meat animals being finished for slaughter to forage or graze treated grain fields within 1 week after treatment. Do not harvest hay from treated grain fields. **RANGELAND AND PERMANENT GRASS PASTURES:** There are no grazing restrictions. Do not use hay or straw from treated areas for composting or mulching on susceptible broadleaf crops. **Please refer to product label for any additional post application information/use restrictions.**

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls; Waterproof gloves; shoes plus socks.

**COMMON NAME:** 2,4 D; fluroxypyr; dichlorprop-p (Strike 3 Ultra 2)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. If swallowed, call a poison control center or doctor immediately for treatment advice.

**PRECAUTIONARY STATEMENT:** Corrosive, causes irreversible eye damage. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to aquatic invertebrates. Drift and runoff may adversely affect aquatic invertebrates and nontarget plants. Turf should not be mowed 1 to 2 days before and following application. Reseed no sooner than 3 to 4 weeks after application of this product.

**POST APPLICATION INFORMATION:** Do not enter treated areas without protective clothing until sprays have dried.

**COMMON NAME:** butylate (Sutan, Genate Plus)

**STATEMENT OF PRACTICAL TREATMENT:** If swallowed, contact a Poison Center, a physician, or the nearest hospital. Immediately give several glasses of water but do not induce vomiting. If vomiting does occur, give fluids again. Have a physician determine if condition of patient will permit evacuation of stomach. Do not give anything by mouth to an unconscious or convulsing person. If in eyes, immediately flush eyes with large amounts of running water for at least 15 minutes. Hold eyelids apart during flushing to ensure rinsing of the entire surface of the eye and lids with water. Get medical attention immediately. If inhaled, remove to fresh air. Seek medical attention if respiratory irritation occurs or if breathing becomes difficult.

**PRECAUTIONARY STATEMENT:** Harmful if swallowed. Avoid contact with skin eyes and clothing. Avoid breathing spray mist.

**COMMON NAME:** 2,4-D (Unison, Weedone)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance. Call a poison control center or doctor for further treatment advice. If swallowed, call a poison control center or doctor immediately for treatment advice.

**PRECAUTIONARY STATEMENT:** Causes irreversible eye damage. Harmful if swallowed or absorbed through the skin. Avoid breathing spray mist. Do not get in eyes, on skin or clothing.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Drift or runoff may adversely affect fish and non-target plants.

**POST APPLICATION INFORMATION:** Use of this product when temperatures exceed 85 degrees may cause rapid foliar burn and decrease the effectiveness of this herbicide and increases the possibility of crop injury. **Please refer to product label for specific post application information and/or use restrictions.**

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, chemical-resistant gloves such as barrier laminate or butyl rubber or nitrile rubber or viton, shoes plus socks and protective eyewear.

**COMMON NAME:** chlorimuron ethyl and thifensulfuron methyl (Synchrony)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**PRECAUTIONARY STATEMENT:** May be harmful if absorbed through skin. Causes (moderate) eye injury (irritation). Avoid contact with skin, eyes, and clothing.

**POST APPLICATION INFORMATION:** Do not graze treated fields or harvest for forage or hay.

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls; chemical resistant gloves (Category A), shoes plus socks.

**COMMON NAME:** famoxadone; cymoxanil (Tanos)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance. Call a poison control center or doctor for further treatment advice. If swallowed, call a poison control center or doctor immediately for treatment advice.

**PRECAUTIONARY STATEMENT:** Harmful if swallowed. Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Harmful if inhaled. Avoid breathing (dust, vapor or spray mist). Remove contaminated clothing and wash clothing before reuse.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish and invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. **Surface Water Advisory:**

This product may contaminate water through drift of spray in wind. This product has a potential for runoff for several months or more after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product. A 25-foot buffer strip is required between areas to which this product is applied and permanent surface water features including lakes; rivers; streams, marshes, and ponds; springs; estuaries and commercial fish farm ponds to reduce the potential for contamination of water from rainfall-runoff. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours.

**POST APPLICATION INFORMATION:** **Please refer to product label for specific post application information and/or use restrictions.**

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls, chemical-resistant gloves and shoes plus socks.

**COMMON NAME:** endosulfan (Thiodan, Thionex)

**STATEMENT OF PRACTICAL TREATMENT:** If swallowed, call a physician or Poison Control Center immediately. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance. Call a poison control center or doctor for further treatment advice.

**PRECAUTIONARY STATEMENT:** Fatal if swallowed. Corrosive. Causes irreversible eye damage. Do not get in eyes, on skin, or on clothing. May be fatal if inhaled or absorbed through skin. Do not breathe vapors or spray mist. Do not contaminate food or feed. Keep out of reach of domestic animals. Food utensils such as spoons or measuring cups must not be used for food purposes after use in measuring pesticides.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Shrimp and crab may be killed at application rates recommended on this label. This product must not be used in areas where impact on threatened endangered species is likely.

This pesticide is toxic to bees exposed to direct application.

**POST APPLICATION INFORMATION:** **Please refer to product label for specific post application information and/or use restrictions.**

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (RE) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls over long-sleeved shirt and long pants, chemical-resistant gloves such as barrier laminate or Viton 14 mils, chemical-resistant footwear plus socks, protective eyewear and chemical-resistant headgear for overhead exposure.

**COMMON NAME:** propiconazole (Tilt)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance. Call a poison control center or doctor for further treatment advice. If swallowed, call a poison control center or doctor immediately for treatment advice.

**PRECAUTIONARY STATEMENT:** Causes substantial but temporary eye injury. Do not get in eyes, on skin, or on clothing. Harmful if swallowed, inhaled, or absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid breathing spray mist. This product may cause skin sensitization reactions in certain individuals.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish.

**POST APPLICATION INFORMATION:** Please refer to product label for any specific post application information and/or use restrictions.

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (RE of 24 hours. Exception: If the product is soil-injected or soil- incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls, chemical-resistant gloves, such as barrier laminate or viton, shoes plus socks and protective eyewear.

**COMMON NAME:** 2,4-D, MCPP and dicamba (Trimec, Three-Way)

**STATEMENT OF PRACTICAL TREATMENT:** In case of contact in eyes, flush with water for 15-20 minutes. Get medical attention in case of contact with skin, wash with plenty of soap and water for 15-20 minutes. If swallowed, call a Poison Control Center or doctor immediately. If inhaled, move person to fresh air. Call a Poison Control Center or doctor for treatment advice.

**PRECAUTIONARY STATEMENT:** Corrosive, causes irreversible eye damage. Do not get in eyes, on skin or clothing. Avoid inhalation of spray mists. Harmful if swallowed, inhaled or absorbed through skin.

**ENVIRONMENTAL HAZARDS:** This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants.

**POST APPLICATION INFORMATION:** Do not enter treated areas until sprays have dried.

**COMMON NAME:** hexazinone; diuron (Velpar Alfamax)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If swallowed, call a poison control center or doctor immediately for treatment advice.

**STATEMENT OF PRECAUTIONARY STATEMENT:** Corrosive. Causes irreversible eye damage. Harmful if swallowed. Do not get in eyes or on clothing. Avoid contact with skin. Wash thoroughly with soap and water after handling.

**ENVIRONMENTAL HAZARDS:** The active ingredient, hexazinone, in this product is known to leach through soil into ground water under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground-water contamination.

**POST APPLICATION INFORMATION:** Please refer to product label for any specific post application information and/or use restrictions.

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Do not enter or allow worker entry into treated areas during the re entry interval (RE of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls, chemical-resistant gloves made of any waterproof material, shoes plus socks and protective eyewear.

**COMMON NAME:** lambda-cyhalothrin (Warrior)

**STATEMENT OF PRACTICAL TREATMENT:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing and rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance. Call a poison control center or doctor for further treatment advice.

**PRECAUTIONARY STATEMENT:** Corrosive. Causes skin damage. May be fatal if swallowed or inhaled. Causes eye injury. Harmful if absorbed through skin. May cause allergic skin reactions. Do not get on skin, in eyes or on clothing. Do not breathe spray mist. Skin exposure may also result in a sensation described as a tingling, itching, burning, or prickly feeling. Onset may occur immediately to 4 hours after exposure and may last 2 to 30 hours, without damage. Wash exposed areas once with soap and water. Relief from the skin sensation may be obtained by applying an oil-based hand cream.

**ENVIRONMENTAL HAZARDS:** This pesticide is extremely toxic to fish and aquatic organisms and toxic to wildlife. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds.

**POST APPLICATION INFORMATION:** Please refer to product label for any additional, specific post application information and/or use restrictions.

**AGRICULTURAL USE REQUIREMENTS:** Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls; Chemical-resistant gloves, such as barrier laminate or viton  mils; Shoes plus socks.